



avantor
ScienceCentral™

ORDER ON
avantorsciences.com

CaptairStore

Filtering chemical storage cabinets

SAFETY

Protects users from harmful inhalation risks due to continuous evaporation during the storing of chemicals.

PERFORMANCE

Filtration that meets AFNOR NFX 15 211 safety standards.

ADAPTABLE

Various sizing options to meet your unique needs.

FLEXIBLE

Allows for a combination of HEPA and carbon filtration to optimize storage capabilities

CONNECTIVITY

SMART Technology for real-time performance and safety monitoring



Erlab's unique Flex Filtration can manage most chemicals storages

SMART TECHNOLOGY

Simple, intuitive communication by light shows the status of the unit

Sensors to detect filter saturation

Low power consumption. Operates with a standard plug

Sensors alert the user if the door is left open

Locking doors for added security

Clear doors for easy viewing

Safe, easy access to your chemicals with adjustable spill-proof shelves, pull-out vertical shelves, large volume drawers



Life in the laboratory becomes simpler and safer

Erlab's 50 years of expertise in research, design and manufacturing of filtering fume hoods and chemical storage cabinets guarantee superior filtration that will keep you protected during your chemical processes.

Smart Technology: The new Captair filtering chemical storage cabinets are designed with a simple and innovative way of communication. Smart Technology uses simple light to show that the unit is operating safely so you can focus your attention on what is most important: your work.



Filtration

Demand the best filtration quality



Simple to use

A single activation key



Safety

A powerful communication interface via light pulses to enhance safety

Simpler to use

- Doors are left open
- Filter breakthrough
- Fan Failure



Safer to operate

- The configurable filtering system above the enclosure can be adapted to filter gases, solvents, powders and particulates keeping the user and the lab protected by safely and efficiently recirculating air within the room and releasing purified air back into the room free of any toxic hazardous vapors or odors.
- Meets AFNOR NFX 15 211/ANSI Z9.5-2012 filtration efficiency standard (classes 1 and 2).
- New sensors are added for detection of solvents or acids or formaldehyde.
- New sensors are added if doors are left open.
- ESP Program: Usage certification delivered with each unit after approval of your storages by our in-house lab.

Organize your chemicals storage

- Smaller sizes are available for use on or under counters or equipment.
- Floor-standing models can be configured with adjustable spill-proof shelves, pull-out vertical shelves, and large volume drawers.

Specifications



VWR Cat. #75784-648
Supplier #822SMARTV1

Storage capacity:
20 - 25 bottles of 1L



VWR Cat. #75784-744
Supplier #834SMARTV1

Storage capacity:
100 - 120 bottles of 1L



VWR Cat. #75784-642
Supplier #1634SMARTV1

Storage capacity:
200 - 240 bottles of 1L

Design	822	834	1634
Width (inch - mm)	(25 ^{5/8}) 650	(35 ^{3/8}) 900	(70 ^{7/8}) 1800
Depth (inch - mm)	(22 ^{7/8}) 580	(19 ^{3/4}) 500	
Height min - max (inch - mm)	(29 ^{3/4}) 755	(84 ^{1/4}) 2140 - (90 ^{1/2}) 2300	
Air Flow	70 m ³ /h	220 m ³ /h	
Safety Standards	Filtration performances tested according to the AFNOR NF X 15-211:2009 standard : France EN 1822 : 1998 (HEPA H14 & ULPA U17 Filters) - CE Marking		
Power consumption	35W	45W	
Voltage/Frequency	80 - 220 V / 50-60 Hz		
Structure	Corrosion resistant electro-galvanized steel coated with anti-acid polymere		
Doors	Clear, chemical resistant acrylic for easy viewing		
Filtration Module	Polypropylene		

Configurable storage options

822	1 storage compartment with large volume drawer
834	2 storage compartments : spill-proof shelves, large volume drawers pull-out vertical shelves
1634	4 storage compartments : spill-proof shelves, large volume drawers pull-out vertical shelves

Features

Smart Technology	Simple communication by LED pulsation system: fan settings, usage timer, fan failure, face velocity, automatic filter saturation detection	
Flex Technology	-	1 column that can be configured for liquids, powders, or both storages
Carbon filtration for gases and vapors	AS : For organic vapors - BE+ : For organic and acid vapors F : For formaldehyde vapors - K : For ammonia vapors	
Particulate filtration for powders	HEPA H14 : 99.995 % filtration efficiency according MPPS method, EN1822 standard ULPA U17 : 99.999995 % filtration efficiency accordinfg MPPS method, EN1822 standard	
Connectivity	RJ45 cable connection	
Molecule	Detection sensors for solvents or acids or formaldehyde	
Doors sensors	Alarm if doors are left open	
Chemical Listing	List of approved chemicals	

avantor™
delivered by vwr™
VWR.COM

Prices, product, and/or services details are current when published and subject to change without notice. | Certain products or services may be limited by federal, state, provincial, or local regulations. | VWR, part of Avantor, makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC and/or Avantor, Inc. or affiliates. All prices are in US dollars unless otherwise noted. Offers valid in US and Canada unless otherwise noted, void where prohibited by law or company policy, while supplies last. | Trademarks are owned by Avantor, Inc. or its affiliates, unless otherwise noted. | Visit vwr.com to view our privacy policy, trademark owners, and additional disclaimers. © 2023 Avantor, Inc. All rights reserved.